

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)

Requested Patent: WO0135615A2
Title: TELEPHONE BASED ACCESS TO INSTANT MESSAGING ;
Abstracted Patent: WO0135615 ;
Publication Date: 2001-05-17 ;
Inventor(s): BRENNAN PAUL M;; MYERS JOHN C ;
Applicant(s): NORTEL NETWORKS LTD (CA) ;
Application Number: WO2000CA01331 20001107 ;
Priority Number(s): CA19992288573 19991108 ;
IPC Classification: H04M3/00 ;
Equivalents: AU1374401, EP1230783 (WO0135615), A3 ;

ABSTRACT:

The present invention allows Internet instant messaging to be accessed via a telephone. Instant messaging access from any telephone in the world may be provided via a telephone messaging system. Alternatively, access can be embodied independently as a stand-alone telephone service, for example provided by a telephone company, provided by a company network, or provided by a user's personal IVR service implemented on his PC. An advantage of the present invention is providing simple, cost effective and readily available access to data network instant messaging from a telephone.

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
17 May 2001 (17.05.2001)


PCT

(10) International Publication Number
WO 01/35615 A2

- (51) International Patent Classification⁷: H04M 3/00 M.: 174 Parkhurst Boulevard, Toronto, Ontario M4G 2G1 (CA).
- (21) International Application Number: PCT/CA00/01331
- (22) International Filing Date: 7 November 2000 (07.11.2000) (74) Agent: SMITH, Dallas, F.; Nortel Networks Limited, Intellectual Property Law Group, Station "C", P.O. Box 3511, Ottawa, Ontario K1Y 4H7 (CA).
- (25) Filing Language: English (81) Designated States (national): AU, JP.
- (26) Publication Language: English (84) Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).
- (30) Priority Data: 2,288,573 8 November 1999 (08.11.1999) CA
- (71) Applicant: NORTEL NETWORKS LIMITED
{CA/CA}; World Trade Center of Montreal, 380 St. Antoine Street West, 8th Floor, Montreal, Quebec H2Y 3Y4 (CA).
- Published:
— Without international search report and to be republished upon receipt of that report.
- (72) Inventors: MYERS, John, C.; 80 Front St. East, Suite 718, Toronto, Ontario M5E 1T4 (CA). BRENNAN, Paul,

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: TELEPHONE BASED ACCESS TO INSTANT MESSAGING



(57) Abstract: The present invention allows Internet instant messaging to be accessed via a telephone. Instant messaging access from any telephone in the world may be provided via a telephone messaging system. Alternatively, access can be embodied independently as a stand-alone telephone service, for example provided by a telephone company, provided by a company network, or provided by a user's personal IVR service implemented on his PC. An advantage of the present invention is providing simple, cost effective and readily available access to data network instant messaging from a telephone.

TELEPHONE BASED ACCESS TO INSTANT MESSAGING

Field Of The Invention

The present invention relates to telephone based access to
5 instant messaging and is particularly concerned with instant messaging
in data networks.

Background Of The Invention

The Internet in addition to providing e-mail and easy access
10 to information world-wide has provided an increasingly popular form of
communication known as "instant messaging". Instant messaging
allows the exchange of messages with others currently logged onto
the Internet. This is similar to the kind of messaging that used to be
available to other types of network users, including mainframe
15 computer users and LAN users, but due to the wide-spread use of the
Internet, instant messaging on the Internet has a much broader reach
than did previously available forms of instant messaging.
Understandably, users are becoming attached to the immediacy and
value of Internet instant messaging. Unfortunately instant messaging
20 is only available when the user has an Internet connection.

Multi-media wireless telephones have been developed to
increase a user's flexibility in accessing the Internet, however these
wireless telephones may not work everywhere and have an associated
expense in requiring additional equipment. There have also been
25 increasing numbers of public Internet access terminals. However, as
yet these are not universally available and have an associated cost per
use.

Hence there is a need to provide an alternative form of access
to data network instant messaging and particularly to Internet instant
30 messaging.

Summary Of The Invention

An object of the present invention is to provide an
improved method and apparatus for accessing data networking instant
35 messaging.

According to the present invention instant messaging can
be accessed via a telephone.

An embodiment of the invention provides instant messaging access from any telephone in the world via a telephone messaging system. Alternatively, the present invention can be embodied independently as a stand-alone telephone service, for example provided by a telephone company, provided by an company network, or provided by a user's personal IVR service implemented on his PC.

According to an aspect of the present invention there is provided a voice (telephone) based client providing access into instant messaging.

An advantage of the present invention is providing access to data network instant messaging from a telephone.

Brief Description Of The Drawings

The present invention will be further understood from the following detailed description, with reference to the drawings in which:

Fig. 1 illustrates a communications system incorporating an embodiment of the present invention;

Fig. 2 illustrates the voice messaging system capable of providing voice access to Internet instant messaging of Fig. 1; and

Fig. 3 illustrates a data communications network including a second embodiment of the present invention.

Detailed Description

Referring to Fig. 1, there is illustrated a communications system incorporating an embodiment of the present invention. The communications system 10 includes a telephone network 12 including telephone user 14 and a data network 16, that may include the Internet, including a user PC 18 connected thereto. A messaging system 20 includes an interface 22 to the telephone network 12 and a network interface card 24 coupled to the data network 16. The telephone user 14 accesses the messaging system 20 via the telephone network 12. The messaging system includes typical functions such as speech recognition, interactive voice response (IVR), voice messaging and, in accordance with an embodiment of the present invention, voice access to instant messaging.

Referring to Fig. 2 there is illustrated the voice messaging system (VMS) capable of providing the voice access to Internet instant messaging of Fig. 1. The voice messaging system 20 is a collection of software components capable of using a desired hardware platform to
5 produce desired applications for end users. The hardware platform is also used as the vehicle to interface with the external world via the public telephone network 12 and the data network and Internet 16.

At the higher level, the voice messaging system is divided into two logical entities: an applications layer 30 and a framework
10 layer 32. The applications layer is responsible for providing end user applications. The applications layer addresses issues related to user interaction such as dealing with voice messages, multimedia messages, recognizing DTMF and voice commands.

The framework layer 32 is a collection of software
15 components that integrate with base software components 34 to provide the needed functionality for building, supporting and operating applications.

The lowest level is the base. The base software components typically act as an intermediary between the higher level
20 software components and a hardware platform, and are similar in function to the operating system in a general purpose computer. The base software hides from the higher level software components the hardware-dependent detail of the target platform. The base provides all the needed call processing functionality (e.g. telephony and signal
25 processing) and computing functionality (e.g. operating system and networking software) to build and support its portfolio of applications.

The present embodiment of voice messaging system includes in telephone applications an instant messaging function 36 having a
30 buddy list 38 and instant messaging protocol 40 similar to those used on PC-based instant messaging applications.

In operation, the voice messaging system instant messaging function accesses buddy list 38 and protocol 40. When a user logs into their voice messaging account via the phone, they can also request a list of their buddies who are logged in, or if desired,
35 optionally the voice messaging system could provide the buddy list automatically at each login. The VMS 20 announces the names of the logged in members of the buddy list, using text-to-speech or pre-

recorded names for each buddy. The user then indicates, for example via a command accepted by the speech recognition function or via a DTMF command, that they wish to send an instant message to one of the logged in buddies. They then receive a record tone and record a voice segment (delineated by either the '#' key or silence). This prompt would then be sent to the logged on buddy as a sound file (probably .wav) or as a text translation of the spoken voice (assuming the target buddy was on a PC). Alternatively, a user may select from a list of predetermined messages, either voice or text.

10 The target buddy could respond with either a text message (that would be read via TTS to the phone caller) or a sound clip in return. The instant messaging function 36 could optionally allow users to identify themselves at a particular telephone (fixed or wireless) for a period of time, and receive (and respond to) incoming
15 instant messages, via techniques used today for remote notification of voice messages. That is, the VMS 20 makes a call to a user upon receipt of an instant message, and after appropriate identity verification, plays an instant message, and allows the user to create and send a reply. The instant messaging function could also make use
20 of accessible displays in telephones, either for presenting buddy lists, or in presenting incoming instant messages.

If the reply arrives during the time the telephone user is logged onto the voice messaging system 20, the instant messaging function 36 notifies the telephone user of the reply to the instant
25 message. The VMS 20 gives the telephone user the option of hearing the message using text to speech, playing the message if it is a sound clip or viewing the message if the telephone user's telephone has a suitable display.

Referring to Fig. 3, there is illustrated a data
30 communications network including a second embodiment of the present invention. The data network 50 includes a network server 52 providing a gateway between voice over IP services and the IP data network 50. In this embodiment, both the telephone user 54 and the computer user 56 are connected via a data network such as the
35 Internet. The functions provided by the server are similar to those described herein above for the voice messaging system.

The present embodiments have been described as they could be implemented as a feature of a telephone messaging system such as Nortel Networks Corporations CallPilot (trademark of Nortel Networks Corporation) and as a server connected to a data network.

- 5 Alternatively, the present invention could be embodied independently as a stand-alone telephone service, provided by a telephone operating company, provided by a company intranet or private network, or provided by a user's personal IVR service implemented on his PC.

- 10 Numerous modifications, variations and adaptations may be made to the particular embodiments of the invention described above without departing from the scope of the invention that is defined in the claims.

Claims:

1. A method of accessing instant messaging from a telephone comprising the step of:
 - presenting to a telephone user a subset of a predetermined user list, the subset representing users logged onto a data network;
 - responsive to the telephone user selecting a particular user from the subset of the predetermined user list, sending a message from the telephone user to the selected data network user using an instant messaging protocol.
2. A method as claimed in claim 1 wherein the step of presenting occurs upon receipt of a predetermined command from the telephone user.
3. A method as claimed in claim 2 wherein the step of presenting includes voice synthesizing names on the user list.
4. A method as claimed in claim 2 wherein the step of presenting includes playing back prerecorded names on the user list.
5. A method as claimed in claim 2 wherein the step of presenting includes displaying names on the user list on a display associated with the telephone.
6. A method as claimed in claim 1 wherein the step of presenting occurs automatically upon login by the telephone user.
7. A method as claimed in claim 6 wherein the step of presenting includes voice synthesizing names on the user list.
8. A method as claimed in claim 6 wherein the step of presenting includes displaying names on the user list on a display associated with the telephone.
9. A method as claimed in claim 6 wherein the step of presenting includes playing back prerecorded names on the user list.

10. A method as claimed in claim 1 wherein the step of selecting includes the step of receiving a DTMF command from the telephone user.
- 5 11. A method as claimed in claim 1 wherein the step of selecting includes the step of receiving a voice command from the telephone user.
12. A method as claimed in claim 1 wherein the step of selecting includes the step of receiving a proprietary signal from the telephone.
- 10 13. A method as claimed in claim 1 wherein the step of sending a message includes recording and sending a voice message.
14. A method as claimed in claim 1 wherein the step of sending a message includes sending a prerecorded voice message.
- 15 15. A method as claimed in claim 1 wherein the step of sending a message includes sending a prerecorded text message.
16. A method as claimed in claim 1 wherein the step of sending a message includes sending a text transcription of a voice message.
- 20 17. A method as claimed in claim 1 further comprising the steps of receiving an instant message in response the message sent by the telephone user and notifying the telephone user of the receipt of the message.
- 25 18. A method as claimed in claim 1 wherein the step of sending a message includes the telephone user's telephone number and a duration of time the telephone user will be available at that number.
- 30 19. A method as claimed in claim 18 further comprising the steps of, during the duration of time, receiving an instant message in response the message sent by the telephone user and notifying the telephone user of the receipt of the message at the telephone user's telephone number.

20. A method as claimed in claim 1 wherein the step of presenting includes the steps of first determining whether the telephone user is logged onto the data network and if not then presenting the user list.
- 5 21. A method as claimed in claim 20 wherein the step of determining whether the telephone user is logged onto the data network includes determining if the telephone subscriber is a personal communications subscriber and, if the user is, maintaining a presence in the data network for the telephone user for receiving and forwarding
10 instant messages to the telephone user.
22. Apparatus for accessing instant messaging from a telephone comprising:
- an telephone interface for connection to a telephone network;
- 15 an data interface for connection to a data network; and
- a messaging module for presenting a user list of active data network users to a telephone user via the telephone interface and responsive to the telephone user selecting a particular user from the user list, sending a message from the telephone user to the selected
20 data network user via the data interface using an instant messaging protocol.
23. Apparatus as claimed in claim 22 wherein the messaging module includes a call-back feature for notifying the telephone user when an instant messaging reply is received for the
25 telephone user.
24. Apparatus as claimed in claim 22 wherein the data network is a local area network (LAN).
25. Apparatus as claimed in claim 22 wherein the data network is a wide area network (WAN).
- 30 26. Apparatus as claimed in claim 22 wherein the data network is an intranet.

27. Apparatus as claimed in claim 22 wherein the data network is an internet.

28. Apparatus as claimed in claim 22 wherein the messaging module is a portion of a voice messaging system in the
5 telephone network.

29. Apparatus as claimed in claim 22 wherein the messaging module is a portion of a server in the data network.

30. Apparatus as claimed in claim 22 wherein the messaging module is a portion of a voice messaging system within a
10 personal computer connected to the data network.

31. Apparatus as claimed in claim 22 wherein the messaging module is a portion of a voice messaging system coupled to the telephone network.

32. Apparatus as claimed in claim 22 wherein the
15 messaging module is a portion of a telephone network service.

33. A method of accessing instant messaging on the data network at a telephone comprising the steps of:

identifying a subscriber, a telephone number at which they can receive messages, and a period of time for which they can receive
20 messages at this number;

establishing the user's presence and ability to receive instant messages on the data network during the specified time period;

where an instant message is sent to the subscriber during this period of availability, calling the subscriber at the predetermined
25 telephone number and delivering the message.


34. A method as claimed in any of claims 1 to 21 wherein the step of presenting includes the steps of:

identifying a telephone user as a subscriber, a telephone number at which they can received messages, and a period of time for
30 which they can receive messages at this number;

establishing the subscriber's presence and ability to receive instant messages on the data network during the specified time period;
and

- presenting to the subscriber a subset of a predetermined
5 user list, the subset representing users logged onto a data network.

1/3

**Fig. 1**

2/3





Fig. 2

3/3

**Fig. 3**

THIS PAGE BLANK (USPTO)